

UNC

EZ-LOK Part No.	內螺紋	外螺紋	長度 in.	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
329-004	4-40	10-32	.250	5/32	10-32	9/32	—
329-006	6-32	1/4-20	.280	7	1/4-20	11/32	500-006
329-008	8-32	5/16-18	.290	F	5/16-18	7/16	500-1
329-3	10-24	3/8-16	.406	5/16	3/8-16	15/32	500-2
329-4	1/4-20	7/16-14	.437	23/64	7/16-14	1/2	500-3
329-5	5/16-18	1/2-13	.484	27/64	1/2-13	9/16	500-4
329-6	3/8-16	9/16-12	.515	31/64	9/16-12	19/32	500-5
329-7	7/16-14	5/8-11	.656	17/32	5/8-11	23/32	500-6
329-8	1/2-13	3/4-10	.656	21/32	3/4-10	3/4	500-7
329-801	1/2-13	3/4-10	1.000	21/32	3/4-10	3/4	500-7
329-9	9/16-12	3/4-10	.656	21/32	3/4-10	3/4	500-7
329-10	5/8-11	7/8-9	.687	49/64	7/8-9	13/16	500-8
329-1018	5/8-11	7/8-9	1.125	49/64	7/8-9	1-1/4	500-8
329-12	3/4-10	1-8	.781	7/8	1-8	7/8	500-9
329-14	7/8-9	1-1/4-7	1.125	1-7/64	1-1/4-7	1-1/4	—
329-16	1-8	1-3/8-12	1.250	1-9/32	1-3/8-12	1-3/8	—

UNF

EZ-LOK Part No.	內螺紋	外螺紋	長度 in.	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
329-332	10-32	3/8-16	.406	5/16	3/8-16	15/32	500-2
329-428	1/4-28	7/16-14	.437	23/64	7/16-14	1/2	500-3
329-524	5/16-24	1/2-13	.484	27/64	1/2-13	9/16	500-4
329-624	3/8-24	9/16-12	.515	31/64	9/16-12	19/32	500-5
329-720	7/16-20	5/8-11	.656	17/32	5/8-11	23/32	500-6
329-820	1/2-20	3/4-10	.656	21/32	3/4-10	3/4	500-7
329-918	9/16-18	3/4-10	.656	21/32	3/4-10	3/4	500-7
329-10F	5/8-18	7/8-9	.687	49/64	7/8-9	13/16	500-8
329-1216	3/4-16	1-8	.781	7/8	1-8	7/8	500-9
329-1414	7/8-14	1-1/4-7	1.125	1-7/64	1-1/4-7	1-1/4	—
329-1614	1-14	1-3/8-12	1.250	1-9/32	1-3/8-12	1-3/8	—

薄壁型 - UNC

EZ-LOK Part No.	內螺紋	外螺紋	長度 in.	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
319-3	10-24	5/16-18	.312	I	5/16-18	.375	500-2
319-4	1/4-20	3/8-16	.375	Q	3/8-16	.437	500-3
319-5	5/16-18	7/16-14	.437	X	7/16-14	.500	500-4
319-6	3/8-16	1/2-13	.500	29/64	1/2-13	.560	500-5
319-7	7/16-14	9/16-12	.560	33/64	9/16-12	.620	500-6
319-8	1/2-13	5/8-11	.620	37/64	5/8-11	.680	500-7

薄壁型 - UNF

EZ-LOK Part No.	內螺紋	外螺紋	長度 in.	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
319-332	10-32	5/16-18	.312	I	5/16-18	.375	500-2
319-428	1/4-28	3/8-16	.375	Q	3/8-16	.437	500-3
319-524	5/16-24	7/16-14	.437	X	7/16-14	.500	500-4
319-624	3/8-24	1/2-13	.500	29/64	1/2-13	.560	500-5
319-720	7/16-20	9/16-12	.560	33/64	9/16-12	.620	500-6
319-820	1/2-20	5/8-11	.620	37/64	5/8-11	.680	500-7

厚壁型 - UNC

EZ-LOK Part No.	內螺紋	外螺紋	長度 in.	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
335-4	1/4-20	1/2-13	.484	27/64	1/2-13	9/16	500-3
335-5	5/16-18	9/16-12	.515	31/64	9/16-12	19/32	500-4
335-6	3/8-16	5/8-11	.656	17/32	5/8-11	23/32	500-5
335-8	1/2-13	7/8-9	.687	49/64	7/8-9	13/16	—
335-10	5/8-11	1-8	.781	7/8	1-8	7/8	—

M - 內外公制牙

EZ-LOK Part No.	內螺紋	外螺紋	長度	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
450-3	M3-0.5	M6-1.0	6.5mm	5.1mm	M6-1.0	7.8mm	—
450-4	M4-0.7	M8-1.25	7.5mm	6.9mm	M8-1.25	9.0mm	500-1
450-5	M5-0.8	M8-1.25	7.5mm	6.9mm	M8-1.25	9.0mm	500-1
450-6	M6-1.0	M10-1.5	10.5mm	8.6mm	M10-1.5	12.0mm	500-3
450-8	M8-1.25	M12-1.75	12.5mm	10.4mm	M12-1.75	14.5mm	500-4
450-10	M10-1.5	M16-2.0	17.0mm	14.0mm	M16-2.0	19.0mm	500-5
450-12	M12-1.75	M16-2.0	17.0mm	14.0mm	M16-2.0	19.0mm	500-6
450-16	M16-2.0	M24-3.0	20.0mm	21.0mm	M24-3.0	24.0mm	500-8
450-20	M20-2.5	M36-4.0	30.0mm	33.0mm	M36-4.0	35.0mm	—

M - 內美制牙、外公制牙

EZ-LOK Part No.	內螺紋	外螺紋	長度	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
550-006	6-32	M6-1.0	6.5 mm	5.1mm	M6-1.0	7.8mm	—
550-008	8-32	M8-1.25	7.5 mm	6.9mm	M8-1.25	9.0mm	500-1
550-1024	10-24	M8-1.25	7.5 mm	6.9mm	M8-1.25	12.0mm	500-2
550-1032	10-32	M8-1.25	7.5 mm	6.9mm	M8-1.25	12.0mm	500-2
550-1420	1/4-20	M10-1.5	10.5 mm	8.6mm	M10-1.5	14.5mm	500-3
550-5	5/16-18	M12-1.75	12.5 mm	10.4mm	M12-1.75	14.5mm	500-4
550-6	3/8-16	M16-2.0	17.0 mm	14.0mm	M16-2.0	19.0mm	500-5
550-8	1/2-13	M16-2.0	17.0 mm	14.0mm	M16-2.0	19.0mm	500-7

M - 內公制牙、外美制粗牙

EZ-LOK Part No.	內螺紋	外螺紋	長度 in.	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
650-6	M6-1.0	3/8-16	.406	5/16	3/8-16	15/32	500-3
650-8	M8-1.25	1/2-13	.484	27/64	1/2-13	9/16	500-4
65010	M10-1.50	9/16-12	.515	31/64	9/16-12	19/32	500-5
650-10F	M10-1.25	9/16-12	.515	31/64	9/16-12	19/32	500-5
650-12	M12-1.75	3/4-10	.656	21/32	3/4-10	3/4	500-6
650-14	M14-2.0	7/8-9	.687	49/64	7/8-9	13/16	500-7
650-16	M16-2.0	1-8	.781	7/8	1-8	7-8	500-8

汽車設計

EZ-LOK Part No.	內螺紋	外螺紋	長度	鑽頭 size	絲攻 size	
SPARK PLUG SIZES						
329-1008	M10-1.0	9/16-18	.453	33/64	9/16-18	
329-1208	M12-1.25	5/8-18	.453	37/64	5/8-18	
329-1212	M12-1.25	5/8-18	.703	37/64	5/8-18	
750-14	M14-1.25	M18-1.5	11.5mm	16.5mm	M18-1.5	
329-1406	M14-1.25	3/4-16	.328	11/16	3/4-16	
329-1408	M14-1.25	3/4-16	.453	11/16	3/4-16	
329-1412	M14-1.25	3/4-16	.703	11/16	3/4-16	
329-1808	M18-1.5	1-12	.453	59/64	1-12	
VW CASE SAVERS						
330-10 (Open)	M10-1.50	9/16-12	1.000	31/64	9/16-12	
330-11 (Closed)	M10-1.50	9/16-12	1.000	31/64	9/16-12	

UNC - 303 不銹鋼

EZ-LOK Part No.	內螺紋	外螺紋	長度 in.	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
303-004	4-40	10-32	.250	5/32	10-32	9/32	—
303-006	6-32	1/4-20	.280	7	1/4-20	11/32	—
303-008	8-32	5/16-18	.290	F	5/16-18	7/16	500-1
303-3	10-24	3/8-16	.406	5/16	3/8-16	15/32	500-2
303-4	1/4-20	7/16-14	.437	23/64	7/16-14	1/2	500-3
303-5	5/16-18	1/2-13	.484	27/64	1/2-13	9/16	500-4
303-6	3/8-16	9/16-12	.515	31/64	9/16-12	19/32	500-5
303-7	7/16-14	5/8-11	.656	17/32	5/8-11	23/32	500-6
303-8	1/2-13	3/4-10	.656	21/32	3/4-10	3/4	500-7
303-10	5/8-11	7/8-9	.687	49/64	7/8-9	13/16	500-8
303-12	3/4-10	1-8	.781	7/8	1-8	7/8	500-9

UNF - 303 不銹鋼

EZ-LOK Part No.	內螺紋	外螺紋	長度 in.	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
303-332	10-32	3/8-16	.406	5/16	3/8-16	15/32	500-2
303-428	1/4-28	7/16-14	.437	23/64	7/16-14	1/2	500-3
303-524	5/16-24	1/2-13	.484	27/64	1/2-13	9/16	500-4
303-624	3/8-24	9/16-12	.515	31/64	9/16-12	19/32	500-5
303-720	7/16-20	5/8-11	.656	17/32	5/8-11	23/32	500-6
303-820	1/2-20	3/4-10	.656	21/32	3/4-10	3/4	500-7


M - 303 不銹鋼 - 內外公制牙

EZ-LOK Part No.	內螺紋	外螺紋	長度	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
453-3	M3-0.5	M6-1.0	6.5mm	5.1mm	M6-1.0	7.8mm	—
453-4	M4-0.7	M8-1.25	7.5mm	6.9mm	M8-1.25	9.0mm	500-1
453-5	M5-0.8	M8-1.25	7.5mm	6.9mm	M8-1.25	9.0mm	500-1
453-6	M6-1.0	M10-1.5	10.5mm	8.6mm	M10-1.5	12.0mm	500-3
453-8	M8-1.25	M12-1.75	12.5mm	10.4mm	M12-1.75	14.5mm	500-4
453-10	M10-1.5	M16-2.0	17.0mm	14.0mm	M16-2.0	19.0mm	500-5
453-12	M12-1.75	M16-2.0	17.0mm	14.0mm	M16-2.0	19.0mm	500-6
453-16	M16-2.0	M24-3.0	20.0mm	21.0mm	M24-3.0	24.0mm	500-8

M - 303 不銹鋼 - 內公制牙、外美制粗牙

EZ-LOK Part No.	內螺紋	外螺紋	長度 in.	鑽頭 size	絲攻 size	攻牙 最小深度	裝入工具 型號
653-6	M6-1.0	3/8-16	.406	5/16	3/8-16	15/32	500-3
653-8	M8-1.25	1/2-13	.484	27/64	1/2-13	9/16	500-4
653-10	M10-1.50	9/16-12	.515	31/64	9/16-12	19/32	500-5
653-10F	M10-1.25	9/16-12	.515	31/64	9/16-12	19/32	500-5
653-12	M12-1.75	3/4-10	.656	21/32	3/4-10	3/4	500-6
653-14	M14-2.0	7/8-9	.687	49/64	7/8-9	13/16	500-7
653-16	M16-2.0	1-8	.781	7/8	1-8	7/8	500-8

安裝影片



前往我們的網站 www.oceanus.com.tw，裡面可以看到
只要簡單三個步驟就能安裝的示範影片。



襯套組包含各種尺寸

注意: 由於E-Z LOK襯套使用標準工具安裝即可, 所以工具箱只包含襯套, 沒有鑽孔和絲攻在內。

金屬用碳鋼材質螺紋襯套

襯套類型	工具編號	襯套數量	襯套編號	內螺紋	外螺紋
UNC #10 to 7/16"	EZ C107	10	329-3	10-24	3/8-16
		10	329-4	1/4-20	7/16-14
		10	329-5	5/16-18	1/2-13
		10	329-6	3/8-16	9/16-12
		8	329-7	7/16-14	5/8-11
UNC #10 to 1/2"	EZ C108	10	329-3	10-24	3/8-16
		10	329-4	1/4-20	7/16-14
		10	329-5	5/16-18	1/2-13
		10	329-6	3/8-16	9/16-12
		6	329-8	1/2-13	3/4-10
UNC 1/2" to 1"	EZ C816	6	329-8	1/2-13	3/4-10
		7	329-10	5/8-11	7/8-9
		7	329-12	3/4-10	1-8
		2	329-16	1-8	1-3/8-12
UNF #10 to 7/16"	EZ F107	10	329-332	10-32	3/8-16
		10	329-428	1/4-28	7/16-14
		10	329-524	5/16-24	1/2-13
		10	329-624	3/8-24	9/16-12
UNF #10 to 1/2"	EZ F108	8	329-720	7/16-20	5/8-11
		10	329-332	10-32	3/8-16
		10	329-428	1/4-28	7/16-14
		10	329-524	5/16-24	1/2-13
UNF 1/2" to 1"	EZ F816	10	329-624	3/8-24	9/16-12
		6	329-820	1/2-20	3/4-10
		7	329-10F	5/8-18	7/8-9
		7	329-1216	3/4-16	1-8
		2	329-1614	1-14	1-3/8-12

金屬用碳鋼材質螺紋襯套 - M

襯套類型	工具編號	襯套數量	襯套編號	內螺紋	外螺紋
M3-0.5 to M8-1.25	EZ M100	10	450-3	M3-0.5	M6-1.0
		10	450-4	M4-0.7	M8-1.25
		10	450-5	M5-0.8	M8-1.25
		10	450-6	M6-1.0	M10-1.5
M8-1.25 to M16-2.0	EZ M200	10	450-8	M8-1.25	M12-1.75
		10	450-8	M8-1.25	M12-1.75
		10	450-10	M10-1.5	M16-2.0
		8	450-12	M12-1.75	M16-2.0
UNC #10 to 1/2"	EZ M508	5	450-16	M16-2.0	M24-3.0
		10	550-3	10-24	M10-1.5
		10	550-4	1/4-20	M12-1.75
		10	550-5	5/16-18	M12-1.75
M M6 to M12	EZ M612	10	550-6	3/8-16	M16-2.0
		6	550-8	1/2-13	M16-2.0
		10	650-6	M6-1.0	3/8-16
		10	650-8	M8-1.25	1/2-13
		10	650-10	M10-1.5	9/16-12
		6	650-12	M12-1.75	3/4-10

金屬用不銹鋼材質螺紋襯套

襯套類型	工具編號	襯套數量	襯套編號	內螺紋	外螺紋
303 不銹鋼 UNC #10 to 1/2"	EZ C303	10	303-3	10-24	3/8-16
		10	303-4	1/4-20	7/16-14
		10	303-5	5/16-18	1/2-13
		10	303-6	3/8-16	9/16-12
		6	303-8	1/2-13	3/4-10
303 不銹鋼 UNF #10 to 1/2"	EZ F303	10	303-332	10-32	3/8-16
		10	303-428	1/4-28	7/16-14
		10	303-524	5/16-24	1/2-13
		10	303-624	3/8-24	9/16-12
M3-0.5 to M8-1.25	EZ M103	6	303-820	1/2-20	3/4-10
		10	453-3	M3-0.5	M6-1.0
		10	453-4	M4-0.7	M8-1.25
		10	453-5	M5-0.8	M8-1.25
M8-1.25 to M16-2.0	EZ M203	10	453-6	M6-1.0	M10-1.5
		10	453-8	M8-1.25	M12-1.75
		10	453-8	M8-1.25	M12-1.75
		10	453-10	M10-1.5	M16-2.0
M M6 to M12	EZ M613	8	453-12	M12-1.75	M16-2.0
		5	453-16	M16-2.0	M24-3.0
		10	653-6	M6-1.0	3/8-16
		10	653-8	M8-1.25	1/2-13
		10	653-10	M10-1.5	9/16-12
		6	653-12	M12-1.75	3/4-10